



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SECTION 1: Identification of the mixture and of the company / undertaking

1.1. Product identifier

Product name: Innosoft B570 ®

1.2. Relevant identified uses of the mixture and uses advised against

Product use : Ready-to-use cleaner for stainless steel and other non-ferrous metals, for use according to the instructions in the Technical Bulletin and the user instructions.

Use against which is recommended: This product must not be used for other applications then that which are recommend without seeking advice of the supplier.

Process categories (explanations see section 16):

- PROC 10

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: EMERGO Metal Treatment
Twentepoort Oost 15
7609 RG Almelo
The Netherlands

Postbus 323
9500 AH Stadskanaal
The Netherlands

Phone.: +31 (0)546 – 543 040

Fax.: +31 (0)546 – 543 045

E-mail: info@emergometal.com

Web: www.emergometal.com

1.4. Emergency telephone number

Phone.: +31 (0)546 – 543 040

SECTION 2: Hazards identification

2.1. Classification of the mixture

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

2.2. Label elements



Irritant

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

S 2 Keep out of the reach of children.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 28 After contact with skin, wash immediately with plenty of soap and water.

S 39 Wear eye/face protection.

S 46 If swallowed, seek medical advice immediately and show container or label..

2.3. Other hazards

The product does not contain substances which are classified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) according to 1907/2006/EG annex XIII.

Foam formation after vomiting bears risk of suffocation.

SECTION 3: Composition and information on ingredients

Ingredients (according to 648/2004EC):

- 5-15% anionic surfactants
- <5% nonionic surfactants
- contains preservation agents (2-Bromo-2-nitropropane-1,3-Diol, Methylchloroisothiazolinone, Methylisothiazolinone)
- perfumes (Limonene, Butylphenyl Methylpropional, Benzyl Salicylate, Hexyl Cinnamal)
- Other ingredients:
 - organic acids
 - auxiliary agents

Hazardous ingredients:

5-15% anionic surfactants, CAS 85711-69-9, EINECS/ELINCS 288-330-3

Xi - Irritant; R 38, R 41

Eye Dam. 1; Skin Irrit. 2; H 318, H 315

Acute toxicity:

LD50 (dermal, rat) > 2000 mg / kg

LD50 (oral, rat) > 2000 mg / kg

LD50 (inhalation, dust/mist, rat) > 5 mg/l/4h



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

1-5% nonionic surfactants, CAS 68439-46-3, EINECS/ELINCS ---

Xi - Irritant; R 41

Eye Dam. 1; H 318

Acute toxicity:

LD50 (dermal, rat) > 2000 mg / kg

LD50 (oral, rat) > 2000 mg / kg

LD50 (inhalation, dust/mist, rat) > 5 mg/l/4h

1-5% glycolic acid, CAS 79-14-1, EINECS/ELINCS 201-180-5

C - Corrosive; R 34

Skin Corr. 1B; H 314

Acute toxicity:

LD50 (dermal, rat) > 2000 mg / kg

LD50 (oral, rat) > 2000 mg / kg

LD50 (inhalation, vapour, rat) > 20 mg/l/4h

The full texts of the mentioned R-phrases and hazard statements (H) are listed in chapter 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No inhalation exposure is to be expected if the product is used as intended.

Skin contact:

Wash affected areas with soap and water and rinse well.

Immediately take off all contaminated clothing.

Eye contact:

Rinse opened eyes several minutes under running water and call medical attention.

Ingestion:

Wash out mouth with water and drink plenty of water.

Do not induce vomiting, instantly call medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. No specific antidote known. Administration of defoaming agent (Dimeticon) in case of ingestion of large quantities.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable: water jet, alcohol-resistant foam, carbon dioxide, extinguishing powder.

Not suitable: Heavy jet of water.

5.2. Special hazards arising from the substance or mixture

Possible combustion products: carbon dioxide, carbon monoxide.



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

5.3. Advice for firefighters

Product is not combustible, adjust measures to the general situation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Wear personal protection equipment (see section 8).

6.2. Environmental precautions:

Do not allow to enter surface or ground waters.

6.3. Methods and materials for containment and cleaning up

Take up with suitable absorbent material (e. g. sand, diatomite, universal binding agent).

Flush small amounts (up to ca. 10 l) with plenty of water into the sewerage

6.4. Reference to other sections

Follow advices and protective measures mentioned in section 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Use only in accordance with the instructions in the Technical Bulletin.
- Avoid contact with skin and eyes.
- Do not mix with other products.
- Wear personal protection equipment (see section 8).
- Do not eat, drink and smoke in work areas.
- Wash hands after use.
- Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Storage class (VCI): 12.

7.3. Specific end uses

See section 1.2.

GISBAU product code: GS 50.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

See section 3.

8.2. Exposure controls

- Personal protection:
 - Respiratory protection: Not required if used according to the instructions in the Technical Bulletin.
 - Hand protection: Protective gloves, category III according to EN 374. A survey of suitable brands with detailed information on breakthrough times is available upon request.
 - Eye protection: Goggles.
-



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	liquid
Odour:	perfume
pH-value:	ca. 3
Melting point / melting range:	ca. 0 °C
Boiling point / boiling range:	ca. 100 °C
Flash point:	---
Density (25 °C):	1,25
Solubility in / miscibility with water:	partially soluble
Viscosity (25 °C):	<1000 mPas

9.2. Other information

Other physical and chemical data have not been determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

No extraordinary reactivity known.

10.2. Chemical stability

The product is stable under normal conditions (room temperature).

10.3. Possibility of hazardous reactions

No hazardous reactions to be expected if used as intended.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

No hazardous incompatibilities known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Acute toxicity of components present at relevant concentrations: see section 3.

Irritation, corrosion, sensitisation

Classification of the product according to 1999/45/EG: see section 2.

Repeated dose toxicity

No data available

Carcinogenicity, mutagenicity, toxicity for reproduction

The product does not contain relevant concentrations of components with carcinogenic, mutagenic and /or toxic for reproduction properties.



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

SECTION 12: Ecological information

12.1. Toxicity

Surfactants: LC50 (fish, daphnia) 1 - 10 mg / l.

Other organic components: LC50 (fish, daphnia) >10 mg / l

12.2. Persistence and degradability

Surfactants:

The surfactants contained in this product comply with the biodegradability criteria as laid down in regulation 648/2004/EC on detergents.

Other organic components:

The biodegradability of the organic ingredients present in this product complies at least with the criteria of OECD 302 B.

12.3. Bioaccumulative potential

The product does not contain relevant concentrations of bioaccumulative components.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

See section 2.3.

12.6. Other adverse effects

A Certificate of Ecology (statement on environmental compatibility) with detailed information on the ecological properties of the product is available on request.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

After rinsing with plenty of water, empty containers may be recycled, landfilled or burned.

Waste code according to 2000/532/EC (product): 070601

Waste code according to 2000/532/EC (package): 150102

SECTION 14: Transport information

14.1. UN-nummer

none

14.2. UN proper shipping name

none

14.3. Transport hazard class

Not classified according to ADR.

14.4. Packing group

none

14.5. Environmental hazards

Not hazardous according to 2.2.9.1.10 ADR.

14.6. Special precautions for user

See sections 6 – 8.



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not intended for transport in bulk.

SECTIE 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the mixture

Volatile organic compounds (VOC) according to 1999/13/EC: <30%.

15.2. Chemical safety assessment

No chemical safety assessment according to 1907/2006/EC, annex I has been carried out for the product.

SECTION 16: Other information

Text of R-Phrases (see section 3)

- R 10 Flammable.
- R 11 Highly flammable.
- R 12 Extremely flammable.
- R 20 Harmful by inhalation.
- R 21 Harmful in contact with skin.
- R 22 Harmful if swallowed.
- R 34 Causes burns.
- R 35 Causes severe burns.
- R 36 Irritating to eyes.
- R 37 Irritating to respiratory system.
- R 38 Irritating to skin.
- R 41 Risk of serious damage to eyes.
- R 43 May cause sensitization by skin contact.
- R 50 Very toxic to aquatic organisms.
- R 51 Toxic to aquatic organisms.
- R 52 Harmful to aquatic organisms.
- R 53 May cause long-term adverse effects in the environment.
- R 65 Harmful: May cause lung damage if swallowed.
- R 66 Repeated exposure may cause skin dryness or cracking.
- R 67 Vapours may cause drowsiness and dizziness.

Text of hazard statements (see section 3)

- H 220 Extremely flammable gas.
- H 225 Highly flammable liquid and vapour.
- H 226 Flammable liquid and vapour.
- H 302 Harmful if swallowed.
- H 304 May be fatal if swallowed and enters airways.
- H 312 Harmful in contact with skin.
- H 314 Causes severe skin burns and eye damage.
- H 315 Causes skin irritation.
- H 317 May cause an allergic skin reaction.
- H 318 Causes serious eye damage.
- H 319 Causes serious eye irritation.
- H 332 Harmful if inhaled.
- H 335 May cause respiratory irritation.
- H 336 May cause drowsiness or dizziness.
- H 370 Causes damage to organs.
- H 373 May cause damage to organs through prolonged or repeated exposure.
- H 400 Very toxic to aquatic life.



EMERGO Metal Treatment
Postbus 323
9500 AH Stadskanaal – The Netherlands

Twentepoort Oost 15
7609 RG Almelo – The Netherlands
T.+31 546 – 543 040
F.+31 546 – 543 045

IBAN: NL 64 RABO 0130 7503 44
COC: 0603 2852
VAT: NL8206.23.994.B01

MATERIAL SAFETY DATA SHEET

according to REGULATION (EU) No 453/2010, annex I

H 410 Very toxic to aquatic life with long lasting effects.
H 411 Toxic to aquatic life with long lasting effects.
H 412 Harmful to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking..

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners.
PROC 10 (Roller application or brushing): Processing without large-scale spraying.
PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).
PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.